

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	623435	web or internet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:03
S18	1644	print\$3 near4 (document or job or task) with (attribute or characteristic)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:26
S21	202287	(GPS! or transponder or (Global adj Positioning))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:27
S22	15	S18 and S21	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:28
S23	12	S22 and S4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:32
S24	6	("6,285,889" "6,359,642" "6,417,913").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:54
S25	975	(display\$3 with printers!) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:24
S26	57	S21 and S25	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:55
S27	39	S21 and S25 and S4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:25

S28	8	("6,026,375" "6,343,317" "6,587,835" "6,760,770").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:20
S30	2	"20020082931"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:20
S31	328	((display\$3 or show\$3) with printer with (location or locale)) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:55
S32	37	S21 and S31 and S4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:56
S33	28	S32 not S27	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:34
S35	39	Anderson-Jeff\$3.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:35
S36	24	"6256666"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:36
S37	2	"6256666".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:37
S42	51	Aoki-Mikio.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 15:56
S48	2	"2002032652"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:34

S49	1	"2002 032652"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:34
S54	4	("6,496,276" "6,208,427").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:52
S55	5	("6,317783" "6,601,100").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:52
S56	384	((display\$3 or show\$3) with printer with (candidate or location or locale)) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:58
S57	623435	web or internet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:56
S58	202287	(GPSI or transponder or (Global adj Positioning))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:56
S59	41	S58 and S56 and S57	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:57
S60	328	((display\$3 or show\$3) with printer with (location or locale)) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:57
S61	37	S58 and S60 and S57	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:57
S62	4	(S58 and S56 and S57) not S61	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:00

S63	1024	((display\$3 or show\$3) with printer with (list or listing or candidate or location or locale)) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:59
S64	568	((display\$3 or show\$3) with printer near5 (list or listing or candidate or location or locale)) same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 10:59
S65	8	(S58 and S64 and S57) not S61	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:01
S66	3958	(identif\$7 with print\$3 with (capab\$5 or characteristic or setting or parameter or criteria))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:50
S67	12160	((select\$3 or choos\$3 or chosen) with print\$3 with (capab\$5 or characteristic or setting or parameter or criteria or attribute))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:28
S68	469	S66 same S67	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:04
S69	18191	((display\$7 or show\$3) with print\$3 with (capab\$5 or characteristic or setting or parameter or criteria))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:04
S70	206	S66 same S67 and S69	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:05
S71	126	S66 same S67 and S69 and (location or locale or vicinity or proximity)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:11
S72	1714	((select\$3 or choos\$3 or determin\$5 or judg\$3) with (optimal or optimum or best) near3 print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:10

S73	3	S71 and S72	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:12
S74	351	S66 and S67 and S69 and (location or locale or vicinity or proximity)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:12
S75	24	S74 and S72	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:12
S76	21	S75 not S73	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:14
S77	0	S75 and S58	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:14
S78	15	S72 and S58	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:28
S79	11	((cellular or mobile or portable or handy or cell or wireless) adj phone) same (display\$3 with (available or optimum or optimal or best) near4 print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:32
S80	14	((cellular or mobile or portable or handy or cell or wireless) adj phone) same ((show\$3 or display\$3) with (available or optimum or optimal or best) near4 print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:36
S81	3	S80 not S79	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:33
S82	19	((cellular or mobile or portable or handy or cell or wireless) adj phone) or pda) same ((show\$3 or display\$3) with (available or optimum or optimal or best) near4 print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:39

S83	5	S82 not S80	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:36
S84	23	((cellular or mobile or portable or handy or cell or wireless) adj phone) or pda) same ((show\$3 or display\$3 or screen) with (available or optimum or optimal or best) near4 print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:39
S85	18	S84 not S83	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:39
S86	4	S84 not S82	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:40
S87	278	(identif\$7 with (print\$3 adj (device or apparatus or machine)) with (capab\$5 or characteristic or setting or parameter or criteria))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:51
S88	15	(identif\$7 with (print\$3 adj (device or apparatus or machine)) with (optimal or optimum or best))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:05
S89	2	"6,003,564".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 13:06
S90	2	"6,003,065".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:09
S91	2	"20020051168"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:14
S92	71678	((relay\$3 or forward\$3) with (attached or attachment or enclosure))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:15

S93	30460	((relay\$3 or forward\$3) near4 (attached or attachment or enclosure))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:15
S96	1065	forward adj2 print	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:17
S97	4	(forward adj2 print) same attachment	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:17
S98	7	(anderson-Jeff\$5.in. Hall-David\$3.in. Staas-David\$3.in.) and ((mobile or wireless or infrared) same print\$3) and (relay\$3 or forward\$3) and (attach\$5 or enclosure) and (email (electronic adj mail) (electric adj mail) e-mail e?mail)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 09:41
S100	2	(anderson-Jeff\$5.in. Hall-David\$3.in. Staas-David\$3.in.) and ((mobile or wireless or infrared) same print\$3) and (relay\$3 or forward\$3) and (attach\$5 or enclosure) and (email (electronic adj mail) (electric adj mail) e-mail e?mail) and (mobile adj printer adj connect\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 09:47
S101	2	(anderson-Jeff\$5.in. Hall-David\$3.in. Staas-David\$3.in.) and (mobile adj printer adj connect\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 09:47
S102	73	Aoki.in. and (email (electronic adj mail) (electric adj mail) e-mail e?mail)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 09:53
S103	39	Aoki.in. and (email (electronic adj mail) (electric adj mail) e-mail e?mail) and (attach\$5 enclos\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 09:54
S104	14	Aoki.in. and (email (electronic adj mail) (electric adj mail) e-mail e?mail) and (attach\$5 enclos\$5) and (relay\$3 forward\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:10

S10 6	2	"2002032652"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:03
S10 8	10	"1158413"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:03
S11 0	2	"20020032652"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:08
S11 1	300	(handshak\$3 with print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:09
S11 3	190	(handshak\$3 with print\$3) and format\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:10
S11 4	16600	(email (electronic adj mail) (electric adj mail) e-mail e?mail) and (attach\$5 enclos\$5) and (relay\$3 forward\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:56
S11 5	5	S113 and S114	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:10
S11 6	6	("5067123" "5668948" "6061149" "6195703" "6208644" "6334126").PN. OR ("6757749").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/11 10:55
S11 9	31118	(email (electronic adj mail) (electric adj mail) e-mail e?mail) and (attach\$5 enclos\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 10:56
S12 0	1	S116 and S119	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/11 10:56

S12 1	69	printer adj comparison	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:22
S12 7	3963	((select\$3 or choos\$3 or chosen or identify\$3 or determin\$3) with print\$3 with (best or optim\$2))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:29
S12 8	7	S121 and S127	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:29
S12 9	6	("5,696,894" "5,991,846" "6,012, 083").pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:33
S13 0	623435	web or internet	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:34
S13 1	419	S130 and (specify\$3 adj4 printer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:34
S13 2	202287	(GPS! or transponder or (Global adj Positioning))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:34
S13 3	24	S130 and (specify\$3 adj4 printer) and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:59
S13 4	47	(Cherry-darrel\$3.in. or clough-james\$3.in.) and (locat\$3 and print\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:41
S13 9	35	S130 and (compar\$4 adj4 printer) and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:46

S14 0	34	S139 not S133	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:51
S14 1	848	(user adj2 (select or choose) adj3 printer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:53
S14 2	25	S132 and S141	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:56
S14 3	43	"6185611"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:56
S14 4	2	"6185611".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:58
S14 5	2	"6192381".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/11 23:59
S14 6	49	print adj selector	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 00:00
S14 7	0	S146 and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 00:00
S15 0	79	printer adj selector	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 00:00
S15 1	5	S150 and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 01:13

S15 2	117	select\$3 with desirable with printer	USPAT	OR	ON	2005/06/12 01:11
S15 3	21	user with select\$3 with desirable with printer	USPAT	OR	ON	2005/06/12 01:14
S15 4	0	S153 and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 01:15
S15 5	0	S152 and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 01:47
S15 6	14	user with select\$3 with desirable with printer and (location vicinity)	USPAT	OR	ON	2005/06/12 01:45
S15 7	7	S153 and S130	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 01:15
S15 9	48	(user with select\$3 with (optim\$2 best desirable desired desireable) with printer) and (location vicinity)	USPAT	OR	ON	2005/06/12 01:46
S16 0	1	S159 and S132	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 01:47
S16 1	48	(user with select\$3 with (optim\$2 best desirable desired desireable) with printer) and (location vicinity)	USPAT	OR	ON	2005/06/22 16:02
S16 2	15	(user with select\$3 with (optim\$2 best desirable desired desireable) near3 printer) and (location vicinity)	USPAT	OR	ON	2005/06/22 16:14
S16 3	17	(user with (choos\$3 determin\$5 select\$3) with (optim\$2 best desirable desired desireable) near3 printer) and (location vicinity)	USPAT	OR	ON	2005/06/23 12:27
S16 4	2	S163 not S162	USPAT	OR	ON	2005/06/22 16:49
S16 6	7	("6188490" "5036476" "5559606").pn. or (Okamoto-Yoshifumi.in. and (printer adj driver adj selection))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 18:49

S16 7	14	("5363175" "5469533").PN. OR ("5559606").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/22 19:59
S16 8	202918	(GPSI or transponder or (Global adj Positioning))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:27
S17 3	407	((user operator) with (choos\$3 determin\$5 select\$3) with (optim\$2 best desirable desired desireable available list\$3) near3 printer) and (location vicinity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 12:32
S17 4	20	S168 and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 14:18
S17 5	2	"5696894".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:11
S17 6	7	("5696894").URPN.	USPAT	OR	ON	2005/06/23 14:20
S17 7	1	("2002/0138557").URPN.	USPAT	OR	ON	2005/06/23 14:25
S17 8	816	(pda (portable adj (terminal device phone))) same (mfp multifunction\$2 multi-function\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:12
S17 9	568	(pda (portable adj (terminal device phone))) with (mfp multifunction\$2 multi-function\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:13
S18 0	121	(pda (portable adj (terminal device phone))) with (mfp multifunction\$2 multi-function\$2) same (scan\$4 print\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:17
S18 1	4	("4642792" "4708461" "6151464" "6233408").PN. OR ("6698950").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/23 16:15
S18 2	109	(pda (portable adj (terminal device phone))) with (mfp multifunction\$2 multi-function\$2) with (scan\$4 print\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:18